

Hip Fracture Deaths in Utah Hospitals (IQI 19)

Adults 18 Years and Over: 2003-2005

Hospital	Total Hip Fracture Patients	Actual Deaths	Expected Deaths	Statistical Rating
Utah Overall	5,005	3.26%	3.36%	* *
Ashley Valley Hospital	47	0.00%	2.11%	* * *
Healthsouth Rehabilitation Hospital	174	0.00%	5.65%	* * *
Uintah Basin Medical Center	32	0.00%	0.71%	* * *
Alta View Hospital	199	2.01%	4.09%	* *
American Fork Hospital	146	2.74%	2.43%	* *
Brigham City Community Hospital	77	2.60%	2.27%	* *
Castleview Hospital	79	3.80%	3.51%	* *
Cottonwood Hospital	250	2.40%	4.36%	* *
Davis Hospital	66	7.58%	3.38%	* *
Dixie Regional Medical Center	478	2.30%	3.05%	* *
Jordan Valley Hospital	64	4.69%	2.53%	* *
Lakeview Hospital	200	2.50%	2.73%	* *
LDS Hospital	390	2.31%	3.66%	* *
Logan Regional Hospital	199	3.02%	3.77%	* *
McKay-Dee Hospital	392	4.08%	3.73%	* *

Most Utah hospitals in this table had about as many deaths as expected compared to similar hospitals in the U.S. Three Utah hospitals had fewer than expected. One hospital had more than expected. Hospitals that had no deaths of these patients during this time period also received a three-star rating.

The following hospitals treated at least one patient but less than 30 patients:

Allen Memorial Hosptal, Bear River Valley Hospital, Beaver Valley Hospital, Cache Valley Specialty Hospital, Central Valley Hospital, Gunnison Valley Hospital, Heber Valley Hospital, Primary Children's Medical Center, Sanpete Valley Hospital, Sevier Valley Hospital and The Orthopedic Specialty Hospital.

Continued on Next Page

Statistical Rating: based on the Exact 95% Confidence Interval test of statistical significance, except hospitals with no deaths from 2003 through 2005 have three stars.

* * * Fewer deaths than expected (better) * * Same as expected * More deaths than expected

NOTE: Hospitals are listed alphabetically within each star rating.

[Click here to read Data Limitations.](#)

Actual deaths: percentage of patients who received care for this condition or procedure and died in this hospital.

Expected deaths: percentage of patients who were expected to die at this hospital if it performed the same as other U.S. hospitals that treated similar patients (age, gender, how ill the patients were).

Hip Fracture Deaths in Utah Hospitals (IQI 19)

Adults 18 Years and Over: 2003-2005

- CONTINUED -

Hospital	Total Hip Fracture Patients	Actual Deaths	Expected Deaths	Statistical Rating
Utah Overall	5,005	3.26%	3.36%	* *
Mountain View Hospital	119	5.88%	4.01%	* *
Mountain West Hospital	51	1.96%	4.12%	* *
Ogden Regional Medical Center	180	2.78%	2.72%	* *
Pioneer Valley Hospital	58	1.72%	2.66%	* *
Salt Lake Regional Hospital	37	5.41%	2.47%	* *
St. Mark's Hospital	536	2.61%	2.95%	* *
University Health Care	293	3.41%	2.54%	* *
Utah Valley Regional Medical Center	456	4.61%	3.27%	* *
Valley View Hospital	151	2.65%	2.14%	* *
Veterans Administration Medical Center	120	7.50%	5.02%	* *
Timpanogos Regional Hospital	109	12.84%	5.05%	*

Most Utah hospitals in this table had about as many deaths as expected compared to similar hospitals in the U.S. Three Utah hospitals had fewer than expected. One hospital had more than expected. Hospitals that had no deaths of these patients during this time period also received a three-star rating.

The following hospitals treated at least one patient but less than 30 patients:

Allen Memorial Hospital, Bear River Valley Hospital, Beaver Valley Hospital, Cache Valley Specialty Hospital, Central Valley Hospital, Gunnison Valley Hospital, Heber Valley Hospital, Primary Children's Medical Center, Sanpete Valley Hospital, Sevier Valley Hospital and The Orthopedic Specialty Hospital.

Statistical Rating: based on the Exact 95% Confidence Interval test of statistical significance, except hospitals with no deaths from 2003 through 2005 have three stars.

* * * Fewer deaths than expected (better) * * Same as expected * More deaths than expected

NOTE: Hospitals are listed alphabetically within each star rating.

[Click here to read Data Limitations.](#)

Actual deaths: percentage of patients who received care for this condition or procedure and died in this hospital.

Expected deaths: percentage of patients who were expected to die at this hospital if it performed the same as other U.S. hospitals that treated similar patients (age, gender, how ill the patients were).

Hip Replacement Deaths in Utah Hospitals (IQI 14)

Adults 18 Years and Over: 2003-2005

Hospital	Total Hip Replacement Patients	Actual Deaths	Expected Deaths	Statistical Rating
Utah Overall	5,439	0.22%	0.19%	* *
Alta View Hospital	99	0.00%	0.17%	* * *
American Fork Hospital	90	0.00%	0.20%	* * *
Cache Valley Specialty Hospital	106	0.00%	0.26%	* * *
Castleview Hospital	51	0.00%	0.16%	* * *
Cottonwood Hospital	127	0.00%	0.08%	* * *
Davis Hospital	49	0.00%	0.06%	* * *
Logan Regional Hospital	121	0.00%	0.21%	* * *
Mountain View Hospital	124	0.00%	0.31%	* * *
Ogden Regional Medical Center	125	0.00%	0.09%	* * *
Pioneer Valley Hospital	42	0.00%	0.08%	* * *
The Orthopedic Specialty Hospital	570	0.00%	0.11%	* * *
Timpanogos Regional Hospital	113	0.00%	0.30%	* * *
Uintah Basin Hospital	33	0.00%	0.12%	* * *
Valley View Hospital	110	0.00%	0.07%	* * *
Veterans Administration Medical Center	78	0.00%	0.39%	* * *
Dixie Regional Medical Center	496	0.40%	0.23%	* *
Lakeview Hospital	165	0.61%	0.14%	* *
LDS Hospital	999	0.10%	0.14%	* *
McKay-Dee Hospital	416	0.48%	0.28%	* *
St. Mark's Hospital	535	0.19%	0.16%	* *
University Health Care	544	0.37%	0.20%	* *
Utah Valley Regional	371	0.81%	0.42%	* *

All Utah hospitals in this table had about as many deaths as expected compared statistically to similar hospitals in the U.S. Hospitals that had no deaths of these patients during this time period received a three-star rating.

The following hospitals treated at least one patient but less than 30 patients:

Ashley Valley Hospital, Brigham City Community Hospital, Jordan Valley Hospital, Mountain West Hospital and Salt Lake Regional Hospital.

Statistical Rating: based on the Exact 95% Confidence Interval test of statistical significance, except hospitals with no deaths from 2003 through 2005 have three stars.

* * * Fewer deaths than expected (better) * * Same as expected * More deaths than expected

NOTE: Hospitals are listed alphabetically within each star rating.

[Click here to read Data Limitations.](#)

Actual deaths: percentage of patients who received care for this condition or procedure and died in this hospital.

Expected deaths: percentage of patients who were expected to die at this hospital if it performed the same as other U.S. hospitals that treated similar patients (age, gender, how ill the patients were).

Bilateral Knee Joint Replacement

(APR-DRG 302, ICD-9-CM Procedure Code 81.54)

Average Hospital Charges for Adults 18 Years and Over, Utah: 2005

Hospital	Level of Illness			
	Minor/Moderate		Major/Extreme	
	Patients	Average Charge	Patients	Average Charge
Utah Overall, Include High Outliers	317	\$43,593	25	\$59,454

State average hospital length of stay

Minor/Moderate is 4.6 days with outliers

Major/Extreme is 8.0 days with outliers

[Some patients can have bilateral knee joint replacements, that is, both right and left knee joint replacement surgeries during a single hospital stay. Read More in Technical Document](#)

Bilateral Hip Joint Replacement

(APR-DRG 301, ICD-9-CM Procedure Code 81.51)

Average Hospital Charges for Adults 18 Years and Over, Utah: 2005

Hospital	Level of Illness			
	Minor/Moderate		Major/Extreme	
	Patients	Average Charge	Patients	Average Charge
Utah Overall, Include High Outliers	4	\$40,393	5	\$56,393

State average hospital length of stay

Minor/Moderate is 4.8 days with outliers

Major/Extreme is 7.8 days with outliers

[Though less common than bilateral knee joint replacement, some patients can have bilateral hip joint replacements, that is, both right and left hip joint replacement surgeries during a single hospital stay. Read More in Technical Document](#)

[Click here to read Data Limitations.](#)

Level of Illness: Compared to patients with minor/moderate level of illness, patients with major/extreme level of illness are likely to have more serious hip and knee problems and other serious conditions that require more complex treatment.

Average Charge: The average dollars for hospital services for which patients were billed at a particular hospital. The charge does not include physicians' professional fees or patient personal costs.

Fracture of Femur (Thigh Bone) (APR-DRG 340)

Average Hospital Charges for Adults 18 Years and Over, Utah: 2005

	Level of Illness			
	Minor/Moderate		Major/Extreme	
Hospital	Patients	Average Charge	Patients	Average Charge
Utah Overall	96	\$6,317	44	\$9,157
Allen Memorial Hospital	<5	\$3,105	0	\$0
Alta View Hospital	<5	\$7,339	6	\$7,064
American Fork Hospital	8	\$6,271	0	\$0
Ashley Valley Medical Center	0	\$0	<5	\$2,435
Bear River Valley Hospital	<5	\$2,867	0	\$0
Beaver Valley Hospital	<5	\$2,165	0	\$0
Brigham City Community Hospital	<5	\$2,437	<5	\$4,362
Castleview Hospital	<5	\$20,337	<5	\$3,747
Central Valley Medical Center	<5	\$5,946	0	\$0
Cottonwood Hospital	8	\$6,113	<5	\$7,620
Davis Hospital & Medical Center	6	\$6,748	0	\$0
Dixie Regional Medical Center	8	\$4,711	<5	\$5,263
Gunnison Valley Hospital	<5	\$1,550	0	\$0
Heber Valley Medical Center	<5	\$5,772	<5	\$3,110
Jordan Valley Hospital	<5	\$5,640	0	\$0
Lakeview Hospital	<5	\$11,302	6	\$8,447
LDS Hospital	<5	\$6,721	<5	\$11,282
Logan Regional Hospital	<5	\$5,536	0	\$0
McKay-Dee Hospital	7	\$5,749	<5	\$12,469
Mountain View Hospital	<5	\$5,442	<5	\$12,128
Mountain West Medical Center	<5	\$10,428	<5	\$20,477
Ogden Regional Medical Center	<5	\$6,035	<5	\$5,364
Pioneer Valley Hospital	<5	\$8,232	<5	\$3,355

Note: Most hip fractures occur in the femur just below its upper end.

Table Legend

< 5 = 1 to 4 patients

State average hospital length of stay

Minor/Moderate is 2.6 days

Major/Extreme is 3.1 days

[Click here to read Data Limitations.](#)

Continued on Next Page

Level of Illness: Compared to patients with minor/moderate level of illness, patients with major/extreme level of illness are likely to have more serious femur fractures and other serious conditions that require more complex treatment.

Average Charge: The average dollars for hospital services for which patients were billed at a particular hospital. The charge does not include physicians' professional fees or patient personal costs.

Fracture of Femur (Thigh Bone) (APR-DRG 340)

Average Hospital Charges for Adults 18 Years and Over, Utah: 2005

- CONTINUED -

	Level of Illness			
	Minor/Moderate		Major/Extreme	
Hospital	Patients	Average Charge	Patients	Average Charge
Utah Overall	96	\$6,317	44	\$9,157
Salt Lake Regional Medical Center	0	\$0	<5	\$20,862
San Juan Hospital	<5	\$1,657	0	\$0
Sevier Valley Hospital	<5	\$4,249	0	\$0
St. Mark's Hospital	6	\$6,360	<5	\$9,115
Timpanogos Regional Hospital	0	\$0	<5	\$13,942
University Health Care	10	\$6,559	<5	\$10,015
Utah Valley Regional Medical Center	<5	\$7,484	0	\$0
Valley View Medical Center	<5	\$8,716	0	\$0
Veterans Administration Medical Center	<5	Not available	0	Not available

Note: Most hip fractures occur in the femur just below its upper end.

Table Legend

< 5 = 1 to 4 patients

State average hospital length of stay

Minor/Moderate is 2.6 days

Major/Extreme is 3.1 days

[Click here to read Data Limitations.](#)

Level of Illness: Compared to patients with minor/moderate level of illness, patients with major/extreme level of illness are likely to have more serious femur fractures and other serious conditions that require more complex treatment.

Average Charge: The average dollars for hospital services for which patients were billed at a particular hospital. The charge does not include physicians' professional fees or patient personal costs.

Hip and Femur (Thigh Bone) Procedures for Injury Except Joint Replacement (APR-DRG 308)

Average Hospital Charges for Adults 18 Years and Over, Utah: 2005

	Level of Illness			
	Minor/Moderate		Major/Extreme	
Hospital	Patients	Average Charge	Patients	Average Charge
Utah Overall	896	\$17,906	374	\$28,674
Allen Memorial Hospital	<5	\$15,923	0	\$0
Alta View Hospital	23	\$11,280	15	\$21,516
American Fork Hospital	25	\$16,723	8	\$18,182
Ashley Valley Medical Center	8	\$17,177	<5	\$33,027
Bear River Valley Hospital	<5	\$9,047	0	\$0
Brigham City Community Hospital	9	\$11,445	<5	\$20,491
Cache Valley Specialty Hospital	6	\$15,182	<5	\$10,554
Castleview Hospital	9	\$21,556	<5	\$29,199
Cottonwood Hospital	46	\$14,212	15	\$18,947
Davis Hospital & Medical Center	22	\$21,339	5	\$35,044
Dixie Regional Medical Center	81	\$14,453	20	\$24,138
Heber Valley Medical Center	5	\$12,981	<5	\$18,661
Jordan Valley Hospital	26	\$22,711	10	\$35,196
Lakeview Hospital	39	\$16,595	10	\$26,570
LDS Hospital	75	\$22,287	49	\$34,755
Logan Regional Hospital	38	\$13,858	14	\$17,316
McKay-Dee Hospital	78	\$15,085	35	\$27,453
Mountain View Hospital	13	\$18,329	11	\$22,604
Mountain West Medical Center	11	\$24,622	<5	\$45,448
Ogden Regional Medical Center	32	\$20,407	9	\$32,742
Orthopedic Specialty Hospital	<5	\$20,657	<5	\$16,678
Pioneer Valley Hospital	5	\$20,478	4	\$33,018
Salt Lake Regional Medical Center	18	\$25,018	7	\$32,397
St. Mark's Hospital	100	\$21,256	24	\$34,523
Timpanogos Regional Hospital	9	\$19,925	11	\$37,724

Table Legend

< 5 = 1 to 4 patients

State average hospital length of stay

Minor/Moderate is 4.2 days

Major/Extreme is 6.3 days

[Click here to read Data Limitations.](#)

Continued on Next Page

Level of Illness: Compared to patients with minor/moderate level of illness, patients with major/extreme level of illness are likely to have more serious hip and femur problems and other serious conditions that require more complex treatment.

Average Charge: The average dollars for hospital services for which patients were billed at a particular hospital. The charge does not include physicians' professional fees or patient personal costs.

Hip and Femur (Thigh Bone) Procedures for Injury Except Joint Replacement (APR-DRG 308)

Average Hospital Charges for Adults 18 Years and Over, Utah: 2005

- CONTINUED -

	Level of Illness			
	Minor/Moderate		Major/Extreme	
Hospital	Patients	Average Charge	Patients	Average Charge
Utah Overall	896	\$17,906	374	\$28,674
Uintah Basin Medical Center	12	\$12,485	0	\$0
University Health Care	88	\$21,658	46	\$35,332
Utah Valley Regional Medical Center	67	\$15,273	49	\$23,459
Valley View Medical Center	28	\$13,398	<5	\$18,803
Veterans Administration Medical Center	17	Not available	9	Not available

Table Legend

< 5 = 1 to 4 patients

State average hospital length of stay

Minor/Moderate is 4.2 days

Major/Extreme is 6.3 days

[Click here to read Data Limitations.](#)

Level of Illness: Compared to patients with minor/moderate level of illness, patients with major/extreme level of illness are likely to have more serious hip and femur problems and other serious conditions that require more complex treatment.

Average Charge: The average dollars for hospital services for which patients were billed at a particular hospital. The charge does not include physicians' professional fees or patient personal costs.

Hip Joint Replacement (APR-DRG 301)

Average Hospital Charges for Adults 18 Years and Over, Utah: 2005

	Level of Illness			
	Minor/Moderate		Major/Extreme	
Hospital	Patients	Average Charge	Patients	Average Charge
Utah Overall	1,639	\$24,791	1,351	\$28,482
Alta View Hospital	41	\$26,360	28	\$27,963
American Fork Hospital	31	\$22,401	18	\$23,192
Ashley Valley Medical Center	<5	\$37,189	5	\$38,536
Bear River Valley Hospital	<5	\$14,154	0	\$0
Brigham City Community Hospital	17	\$20,343	6	\$23,322
Cache Valley Specialty Hospital	21	\$32,588	9	\$33,615
Castleview Hospital	18	\$28,851	13	\$30,761
Cottonwood Hospital	45	\$23,811	24	\$30,013
Davis Hospital & Medical Center	24	\$35,743	22	\$37,043
Dixie Regional Medical Center	168	\$20,415	111	\$24,399
Jordan Valley Hospital	15	\$32,496	5	\$37,759
Lakeview Hospital	54	\$19,680	30	\$24,320
LDS Hospital	218	\$26,195	241	\$30,361
Logan Regional Hospital	36	\$20,444	32	\$26,020
McKay-Dee Hospital	119	\$25,627	108	\$27,796
Mountain View Hospital	33	\$23,545	28	\$24,793
Mountain West Medical Center	0	\$0	<5	\$51,698
Ogden Regional Medical Center	61	\$26,547	19	\$29,358
Pioneer Valley Hospital	13	\$35,081	9	\$36,393
Salt Lake Regional Medical Center	10	\$37,156	15	\$44,280
St. Mark's Hospital	195	\$26,662	111	\$31,173
The Orthopedic Specialty Hospital	128	\$22,383	130	\$23,065
Timpanogos Regional Hospital	18	\$30,180	27	\$35,959
Uintah Basin Medical Center	23	\$24,981	5	\$23,400
University Health Care	181	\$25,283	161	\$31,126
Utah Valley Regional Medical Center	87	\$23,276	141	\$26,659

Table Legend

< 5 = 1 to 4 patients

State average hospital length of stay

Minor/Moderate is 3.6 days

Major/Extreme is 4.1 days.

[Click here to read Data Limitations.](#)

Continued on Next Page

Level of Illness: Compared to patients with minor/moderate level of illness, patients with major/extreme level of illness are likely to have more serious hip problems and other serious conditions that require more complex treatment.

Average Charge: The average dollars for hospital services for which patients were billed at a particular hospital. The charge does not include physicians' professional fees or patient personal costs.

Hip Joint Replacement (APR-DRG 301)

Average Hospital Charges for Adults 18 Years and Over, Utah: 2005

	Level of Illness			
	Minor/Moderate		Major/Extreme	
Hospital	Patients	Average Charge	Patients	Average Charge
Utah Overall	1,639	\$24,791	1,351	\$28,482
Valley View Medical Center	42	\$20,001	34	\$23,006
Veterans Administration Medical Center	36	Not available	17	Not available

Table Legend

< 5 = 1 to 4 patients

State average hospital length of stay

Minor/Moderate is 3.6 days

Major/Extreme is 4.1 days.

[Click here to read Data Limitations.](#)

Level of Illness: Compared to patients with minor/moderate level of illness, patients with major/extreme level of illness are likely to have more serious hip problems and other serious conditions that require more complex treatment.

Average Charge: The average dollars for hospital services for which patients were billed at a particular hospital. The charge does not include physicians' professional fees or patient personal costs.

Knee, Lower Leg & Ankle Procedures (APR-DRG 313)

Average Hospital Charges for Adults 18 Years and Over, Utah: 2005

	Level of Illness			
	Minor/Moderate		Major/Extreme	
Hospital	Patients	Average Charge	Patients	Average Charge
Utah Overall	1,576	\$14,014	200	\$28,605
Allen Memorial Hospital	<5	\$13,391	0	\$0
Alta View Hospital	51	\$9,368	5	\$20,732
American Fork Hospital	31	\$10,877	<5	\$14,056
Ashley Valley Medical Center	8	\$10,970	0	\$0
Bear River Valley Hospital	<5	\$6,047	0	\$0
Brigham City Community Hospital	6	\$11,355	0	\$0
Cache Valley Specialty Hospital	21	\$12,213	<5	\$18,482
Castleview Hospital	20	\$19,404	<5	\$25,012
Cottonwood Hospital	70	\$9,717	13	\$21,233
Davis Hospital & Medical Center	31	\$17,179	<5	\$40,110
Dixie Regional Medical Center	132	\$11,387	20	\$19,357
Heber Valley Medical Center	15	\$9,117	0	\$0
Jordan Valley Hospital	30	\$16,711	<5	\$24,717
Lakeview Hospital	37	\$14,408	<5	\$26,994
LDS Hospital	178	\$16,375	28	\$40,203
Logan Regional Hospital	32	\$11,245	6	\$16,311
McKay-Dee Hospital	98	\$11,819	10	\$32,242
Mountain View Hospital	35	\$15,150	5	\$41,967
Mountain West Medical Center	13	\$21,721	<5	\$31,276
Ogden Regional Medical Center	31	\$16,791	<5	\$23,099
Orthopedic Specialty Hospital	103	\$12,336	12	\$18,665
Pioneer Valley Hospital	27	\$16,893	<5	\$27,220
Salt Lake Regional Medical Center	14	\$21,726	<5	\$30,100
St. Mark's Hospital	92	\$14,399	10	\$42,308
Timpanogos Regional Hospital	15	\$13,381	<5	\$31,411
Uintah Basin Medical Center	8	\$13,928	<5	\$7,009

[Click here to read Data Limitations.](#)

Continued on Next Page

Table Legend

< 5 = 1 to 4 patients

State average hospital length of stay

Minor/Moderate is 2.7 days

Major/Extreme is 6.2 days

Level of Illness: Compared to patients with minor/moderate level of illness, patients with major/extreme level of illness are likely to have more serious hip and femur problems and other serious conditions that require more complex treatment.

Average Charge: The average dollars for hospital services for which patients were billed at a particular hospital. The charge does not include physicians' professional fees or patient personal costs.

Knee, Lower Leg & Ankle Procedures (APR-DRG 313)

Average Hospital Charges for Adults 18 Years and Over, Utah: 2005

- CONTINUED -

	Level of Illness			
	Minor/Moderate		Major/Extreme	
Hospital	Patients	Average Charge	Patients	Average Charge
Utah Overall	1,576	\$14,014	200	\$28,605
University Health Care	284	\$16,630	36	\$32,175
Utah Valley Regional Medical Center	147	\$13,231	13	\$24,471
Valley View Medical Center	24	\$9,208	<5	\$14,193
Veterans Administration Medical Center	21	Not available	<5	Not available

Table Legend

< 5 = 1 to 4 patients

State average hospital length of stay

Minor/Moderate is 2.7 days

Major/Extreme is 6.2 days

[Click here to read Data Limitations.](#)

Level of Illness: Compared to patients with minor/moderate level of illness, patients with major/extreme level of illness are likely to have more serious knee, lower leg and ankle problems and other serious conditions that require more complex treatment.

Average Charge: The average dollars for hospital services for which patients were billed at a particular hospital. The charge does not include physicians' professional fees or patient personal costs.

Knee Joint Replacement (APR-DRG 302)

Average Hospital Charges for Adults 18 Years and Over, Utah: 2005

	Level of Illness			
	Minor/Moderate		Major/Extreme	
Hospital	Patients	Average Charge	Patients	Average Charge
Utah Overall	5,307	\$25,001	226	\$34,142
Alta View Hospital	183	\$25,854	12	\$28,775
American Fork Hospital	61	\$19,768	0	\$0
Ashley Valley Medical Center	17	\$33,207	<5	\$45,778
Brigham City Community Hospital	50	\$19,259	0	\$0
Cache Valley Specialty Hospital	154	\$29,077	<5	\$34,622
Castleview Hospital	57	\$26,442	<5	\$31,586
Cottonwood Hospital	135	\$22,477	<5	\$30,733
Davis Hospital & Medical Center	98	\$35,187	<5	\$36,071
Dixie Regional Medical Center	513	\$20,092	12	\$24,746
Heber Valley Medical Center	71	\$21,557	0	\$0
Jordan Valley Hospital	29	\$36,480	<5	\$43,120
Lakeview Hospital	269	\$19,036	7	\$33,353
LDS Hospital	562	\$28,301	32	\$38,963
Logan Regional Hospital	141	\$26,531	10	\$42,105
McKay-Dee Hospital	410	\$24,824	12	\$33,772
Mountain View Hospital	174	\$23,718	10	\$32,732
Mountain West Medical Center	10	\$41,645	<5	\$58,767
Ogden Regional Medical Center	79	\$27,762	6	\$35,360
The Orthopedic Specialty Hospital	614	\$25,029	14	\$29,522
Pioneer Valley Hospital	67	\$33,252	<5	\$42,037
Salt Lake Regional Medical Center	17	\$36,584	0	\$0
St. Mark's Hospital	478	\$28,289	19	\$37,051
Timpanogos Regional Hospital	89	\$30,819	10	\$41,865
Uintah Basin Medical Center	45	\$23,905	<5	\$28,477
University Health Care	386	\$24,098	16	\$44,018
Utah Valley Regional Medical Center	343	\$23,316	40	\$26,392

Table Legend

< 5 = 1 to 4 patients

State average hospital length of stay

Minor/Moderate is 3.4 days

Major/Extreme is 4.8 days.

[Click here to read Data Limitations.](#)

Continued on Next Page

Level of Illness: Compared to patients with minor/moderate level of illness, patients with major/extreme level of illness are likely to have more serious knee problems and other serious conditions that require more complex treatment.

Average Charge: The average dollars for hospital services for which patients were billed at a particular hospital. The charge does not include physicians' professional fees or patient personal costs.

Knee Joint Replacement (APR-DRG 302)

Average Hospital Charges for Adults 18 Years and Over, Utah: 2005

- CONTINUED -

	Level of Illness			
	Minor/Moderate		Major/Extreme	
Hospital	Patients	Average Charge	Patients	Average Charge
Utah Overall	5,307	\$25,001	226	\$34,142
Valley View Medical Center	152	\$18,020	0	\$0
Veterans Administration Medical Center	103	Not available	7	Not available
Table Legend		State average hospital length of stay		
< 5 = 1 to 4 patients		Minor/Moderate is 3.4 days		
		Major/Extreme is 4.8 days.		

[Click here to read Data Limitations.](#)

Level of Illness: Compared to patients with minor/moderate level of illness, patients with major/extreme level of illness are likely to have more serious hip and femur problems and other serious conditions that require more complex treatment.

Average Charge: The average dollars for hospital services for which patients were billed at a particular hospital. The charge does not include physicians' professional fees or patient personal costs.